







Monofile Polyestergerewebe

Maschenweite 1–199 µm







Artikel	 Maschenweite in µm	 Offene Siebfläche	 Faden Ø in µm (Kette)	 Faden Ø in µm (Schuss)	 Gewicht in g/m ²	 Dicke in µm
PET-1/34-2	1	2,0	34	34	70	70
PET-6/34-5	6	5,0	34	34	65	90
PET-11/38-5	11	5,0	38	38	50	60
PET-15/37-9	15	8,5	37	37	45	55
PET-17/40-9	17	9,0	40	40	50	75
PET-20/37-13	20	13,0	37	37	40	60
PET-21/41-12	21	12,0	41	35	45	70
PET-27/42-16	27	15,5	42	42	45	65
PET-30/36-21	30	21,0	36	36	35	50
PET-33/40-21	33	20,5	40	40	40	60
PET-33/75-10	33	9,5	75	75	85	125
PET-38/47-20	38	20,0	47	47	45	70
PET-40/40-25	40	25,0	40	40	35	60
PET-40/75-12	40	12,0	75	75	88	128
PET-44/45-25	44	24,5	45	45	40	70
PET-51/38-33	51	33,0	38	38	30	60
PET-54/56-24	54	24,0	56	56	50	90
PET-59/44-33	59	33,0	44	44	35	65
PET-64/32-45	64	44,5	32	32	20	45
PET-73/43-40	73	39,5	43	43	30	65
PET-74/54-34	74	34,0	54	54	45	85
PET-80/62-32	80	32,0	62	62	50	90
PET-85/43-46	85	46,0	43	43	29	65
PET-90/79-30	90	30,0	79	79	70	115
PET-100/77-32	100	32,0	77	77	65	125
PET-102/52-44	102	44,0	52	52	35	80
PET-105/147-18	105	18,0	147	147	190	275
PET-115/70-36	115	36,0	70	70	55	105
PET-120/88-34	120	33,5	88	88	75	140
PET-130/86-37	130	36,5	86	86	70	145
PET-131/124-27	131	26,5	124	124	140	240
PET-150/86-41	150	40,5	86	86	65	140
PET-150/96-37	150	37,0	96	96	75	160
PET-158/145-26	158	26,0	145	145	160	280
PET-160/84-43	160	43,0	84	84	57	140
PET-170/96-41	170	41,0	96	96	70	150
PET-180/147-31	180	31,0	147	147	130	250

Änderungen vorbehalten

Verfügbare Gewebebreiten auf Anfrage. Andere Gewebe auf Anfrage.

Monofile Polyestergerewebe

Maschenweite 200–999 µm







Artikel	 Maschenweite in µm	 Offene Siebfläche	 Faden Ø in µm (Kette)	 Faden Ø in µm (Schuss)	 Gewicht in g/m ²	 Dicke in µm
PET-200/121-39	200	39,0	121	121	100	215
PET-200/104-43	200	43,0	104	104	75	170
PET-210/147-35	210	34,5	147	147	135	250
PET-240/73-59	240	58,5	73	73	35	115
PET-250/122-46	250	46,0	122	122	95	203
PET-250/152-39	250	39,0	152	152	140	290
PET-285/103-55	285	55,0	103	103	60	168
PET-285/145-44	285	44,0	145	145	110	260
PET-300/143-46	300	46,0	143	143	95	245
PET-300/205-36	300	35,5	205	205	180	405
PET-335/165-46	335	46,0	165	165	120	280
PET-355/165-47	355	47,0	165	165	115	375
PET-375/188-46	375	46,0	188	188	125	330
PET-390/400-24	390	24,0	400	400	320	700
PET-400/188-48	400	48,0	188	188	115	335
PET-425/200-46	425	46,0	200	200	155	355
PET-465/200-49	465	49,0	200	200	135	365
PET-500/220-48	500	48,0	220	220	150	410
PET-500/300-39	500	39,0	300	300	255	620
PET-590/350-40	590	40,0	350	350	300	750
PET-600/245-51	600	51,0	245	245	165	450
PET-710/260-54	710	54,0	260	260	170	465
PET-800/280-55	800	54,5	280	280	165	520
PET-840/400-46	840	46,0	400	400	280	785
PET-950/300-58	950	58,0	300	300	175	575

Verfügbare Gewebebreiten auf Anfrage. Andere Gewebe auf Anfrage.

Änderungen vorbehalten

Monofile Polyestergerewebe

Maschenweite 1.000–5.000 µm

Artikel	 Maschenweite in µm	 Offene Siebfläche	 Faden Ø in µm (Kette)	 Faden Ø in µm (Schuss)	 Gewicht in g/m ²	 Dicke in µm
PET-1000/500-45	1000	44,5	500	500	400	1000
PET-1000/320-58	1000	57,5	320	320	185	585
PET-1320/400-59	1320	59,0	400	400	200	740
PET-1410/600-49	1410	49,0	600	600	420	1145
PET-1600/450-61	1600	61,0	450	450	236	840
PET-1680/700-50	1680	50,0	700	700	465	1300
PET-1800/500-61	1800	61,0	500	500	245	1000
PET-2000/800-51	2000	51,0	800	800	552	1500
PET-2200/1000-47	2200	47,0	1000	1000	760	1860
PET-2380/900-53	2380	52,5	900	900	600	1700
PET-3000/800-62	3000	62,0	800	800	385	1480
PET-4000/1000-64	4000	64,0	1000	1000	460	1900
PET-5000/900-72	5000	72,0	900	900	320	1700

Verfügbare Gewebebreiten auf Anfrage. Andere Gewebe auf Anfrage.

Änderungen vorbehalten